

Notice of Allowability

Application No.

10/750,447

Applicant(s)

LIBERATORE, RAYMOND

Examiner

Art Unit

David J. Walczak

3751

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the interview conducted on 7/26/06.
2. ☒ The allowed claim(s) is/are 1.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>7/26/06</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input checked="" type="checkbox"/> Other <u>drawing corrections (2 sheets)</u> . |

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Raymond Liberatore on 7/26/06.

The application has been amended as follows:

In the drawings:

Amend the drawings as indicated in red ink on the attached sheets.

Please enter the new abstract enclosed herewith on a separate sheet.

In the specification:

On page 12, line 6: after "of" insert --the--, delete "32a".

In the amended paragraph beginning on page 13, line 21 (filed 5/9/06): Line 5: delete "110a' " and substitute --110b--.

In claim 1, Line 23: delete "an" and substitute --a peripheral--;

In claim 1, line 24: after "surface" insert --comprised of an upper wall, a lower wall and two sidewalls and--;

In claim 1, line 27: after "opening" insert --wherein the entire exposed portion of said upper wall consists of a concave surface positioned between two convex surfaces--;

In claim 1, the last line: delete "." and substitute --and, --;

Art Unit: 3751

In claim 1, after the last line, add the new paragraph: --g) a cap for covering the nozzle.--.

Cancel claims 2-6, 16, 29, 31, 45-74.

Claim 1 is allowed. It is noted that the drawing were amended to be consistent with the specification. In particular, Figure 26 was amended to delete element 601 in the a description of element 601 was not present in the specification. The specification was amended to correct minor informalities and to render the specification consistent with the drawings.


The following is an examiner's statement of reasons for allowance: None of the prior art, alone or in combination, teaches the Applicant's invention of a dispenser having a nozzle that is shaped as claimed. It is here noted that the Examiner recinded the new matter rejection made the in the Final Rejection since the specification indicates that the nozzle can be made from a "stiff" material (see page 11, line 16) and thereby the surfaces at the end of the opening would "remain of fixed dimension" due to the stiffness of the nozzle.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Walczak whose telephone number is 571-272-4895. The examiner can normally be reached on Mon-Thurs, 6:30- 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on 571-272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



David J. Walczak
Primary Examiner
Art Unit 3751

DJW
7/26/06



Abstract

Apparatus for use with a hand manipulable flowable material dispenser, the combination comprising a dispensing nozzle associated with the dispenser to dispense material, and a spreader surface associated with the nozzle whereby the dispenser may be manipulated to cause the spreader surface to spread material dispensed via the nozzle, and the spreader surface can be used to spread material around after it is dispensed.



Replacement Sheet

Applicant's Copy



Replacement Sheet

Applicant's Copy




FIG 26